

Humlegaarden



Bladder Tumour

Mr. R.A from Sweden, born 1929, started with blood in the urine in January 1984. A bladder tumor was found and removed through transurethral resection (TUR) in June 6th 1984. Histology showed an aggressive, poorly differentiated urothelcellcancer, grade III, with infiltrative growth. During a stay at Humlegaarden he started upon our treatments in June 1984 with the mistletoe preparation Helixor A, with diet and various vitamin and mineral supplements. In mid-July 1984 an open resection of the tumor-area was performed with removal of the adjacent lymph nodes. From 1984 until 1990 the patient had many local recurrences of the cancer in the bladder, treated with open as well with transurethral resections. He was offered removal of the whole bladder, but declined. In this period he shifted between the mistletoe preparations Helixor A and Iscador QucArg. He also received injections with Echinacea. In November-December 1990 he had six weeks' treatment with the Calmette-vaccine BCG locally in the bladder. Since then there has been no sign of cancer in this patient. He continued with Helixor injections six times per week until 1993-1994, and cystoscopy has been done twice every year. At the last cystoscopy in July 2001 he was told that it was not modern medical treatment alone that had cured him, but also the higher powers. The implication: His cure could be considered a miracle. The patient and his wife visited Humlegaarden on September 5th 2001, and he told us that he runs 4-5 miles 3-4 times per week as usual. He is following a vegetarian diet and still takes his vitamin- and mineral supplements. His general condition is extremely fine, and the patient and his wife have been managing a private home for disabled patients through all these years and still do.